

Bermuda Printing Supplies
Customer

Date: 1 November 2011
Rep.: Tom Ralph
Quote No.: BPS08111386

It is with pleasure that we submit the below quotation on behalf of Bermuda Printing Supplies and in partnership with The Shanghai Electrical Company, for your consideration.

Digital Displayed Guillotine

Model 450T

Small digital and offset guillotine.



Technical Specifications:

Cutting Size Max	450 x 450mm
Cutting Thickness	50mm max
Electric. Press and cut. With a separate motor for the clamping system	
Backguage	Electric
Electronic Safety Barrier	
Safety Feature of double button operation	

PRICE \$6,500.00 + GST

FOR FURTHER INFORMATION PLEASE CONTACT OUR HEAD OFFICE



www.bermudaprintingsupplies.com.au



www.graph-pak.com.au



Graphics Australia Pty Ltd

www.jtsgraphics.com.au

Address: **NSW:** Unit 4, 260 Captain Cook Drive, Kurnell NSW 2230, Australia
QLD: Unit 9, 227 Brisbane Road, Biggera Waters QLD 4216, Australia
Tel: 1300 461 599 **International:** +61 2 9668 8511 **Fax:** +61 2 9668 9213

Model EP-550C



Features:

- Programmable backgauge control
- Electric blade, clamp, back gauge
- Automatically clamp
- Electronic hand wheel
- Optical cutting line
- Two-hand operation
- Photocell safety guard

Technical Specifications:

Max Cutting Width:	550mm
Max Cutting Length:	650mm
Min Cutting Length:	60mm
Max Cutting Length:	80mm
Table Height:	940mm
Power Supply:	220 V 50 Hz
Power Consumption:	1200 w
Dimensions:	1050 x 860 x 1210 mm
Weight:	200 kgs

PRICE: \$8,000.00 + GST

FOR FURTHER INFORMATION PLEASE CONTACT OUR HEAD OFFICE



www.bermudaprintingsupplies.com.au



www.graph-pak.com.au



Graphics Australia Pty Ltd

www.jtsgraphics.com.au

Address: NSW: Unit 4, 260 Captain Cook Drive, Kurnell NSW 2230, Australia
QLD: Unit 9, 227 Brisbane Road, Biggera Waters QLD 4216, Australia
Tel: 1300 461 599 International: +61 2 9668 8511 Fax: +61 2 9668 9213

UV Coating Machines

Minimise your outsourcing and keep all your material in-house with these user friendly compact and efficient UV Coating Machines.

Features:

- Recirculating UV Varnish –produces a low cost per sheet gloss matt or satin finish
- IR lamp to aid flow out and give higher gloss
- Double Liquid Pump – back up for each
- Coating Speed Adjustment – best performance for coating
- Extends Lightfast properties of most inks, and makes coated surface water proof
- Clarity is improved by 10-15% comparing to cold film

Specifications UV350

- Power supply: 220V/50HZ
- Power consumption: 2KW
- N.W. : 70KGs
- Dimension: 80*70*111CM
- Max. coating width: 14"(350mm)
- Max. paper thickness: 3mm
- Min. paper thickness: 80gsm
- Coating film thickness: 0.2-1mil
- Coating speed: 100-180m/hour
- UV lamp lifetime: 500 hours
- IR Drying
- Safety switch



PRICE: \$6,500.00 + GST

Specifications UV530

- Power supply: 220V/50HZ
- Power consumption: 3KW
- N.W.: 100KGs
- Dimension: 80*70*111CM
- Max. coating width: 21"(530mm)
- Max. paper thickness: 3mm
- Min. paper thickness: 157gsm
- Coating film thickness: 0.2-1mil
- Coating speed: 200-300m/hour
- UV lamp lifetime: 800 hours



PRICE: \$8,500.00 + GST

FOR FURTHER INFORMATION PLEASE CONTACT OUR HEAD OFFICE



www.bermudaprintingsupplies.com.au



www.graph-pak.com.au



Graphics Australia Pty Ltd

www.jtsgraphics.com.au

Address: **NSW:** Unit 4, 260 Captain Cook Drive, Kurnell NSW 2230, Australia
QLD: Unit 9, 227 Brisbane Road, Biggera Waters QLD 4216, Australia
Tel: 1300 461 599 **International:** +61 2 9668 8511 **Fax:** +61 2 9668 9213

Perfect Binders

Model 320BPS

Perfect binding including side glue and cover creasing functions.



TECHNICAL DATA

Max Binding Length	320mm
Max Binding Thickness	45mm
Max Binding Speed	350 book / hour
LCD Display PCB control	
Milling Cutter	1 blade
Consumption	0.7 kw
Claim of sheets	Electric
Claim of cover	Electric

PRICE: \$8,000.00 + GST

FOR FURTHER INFORMATION PLEASE CONTACT OUR HEAD OFFICE



www.bermudaprintingsupplies.com.au



www.graph-pak.com.au



Graphics Australia Pty Ltd

www.jtsgraphics.com.au

Address: **NSW:** Unit 4, 260 Captain Cook Drive, Kurnell NSW 2230, Australia
QLD: Unit 9, 227 Brisbane Road, Biggera Waters QLD 4216, Australia
Tel: 1300 461 599 **International:** +61 2 9668 8511 **Fax:** +61 2 9668 9213

Model PB-7000



Features:

- Adjustable milling depth
- Simple operation
- Fast binding process
- Hard Cover capacity
- Easy adjustment
- Quality binding finish

Technical Specifications:

Max Spine Length:	420mm
Max Binding Thickness:	50mm
Min Binding Thickness:	5 sheets 80 g/sqm
Soft Cover:	70 to 300 gsm
Production Speed:	200 books / hour
Binding Glue Type:	Hot Melt (160 – 180°C)
Warming Up Time:	40 minutes
Cutting Type:	Notching + Milling
Power:	220 V – 50 Hz
Power Consumption:	1600 w
Machine Dimensions:	1300 x 520 x 1020
Machine Weight:	230 kg

PRICE: \$9,000.00 + GST

FOR FURTHER INFORMATION PLEASE CONTACT OUR HEAD OFFICE



www.bermudaprintingsupplies.com.au



www.graph-pak.com.au



Graphics Australia Pty Ltd

www.jtsgraphics.com.au

Address: NSW: Unit 4, 260 Captain Cook Drive, Kurnell NSW 2230, Australia
QLD: Unit 9, 227 Brisbane Road, Biggera Waters QLD 4216, Australia
Tel: 1300 461 599 International: +61 2 9668 8511 Fax: +61 2 9668 9213

High Speed Punch

Model 115

This series of die cutter is mainly aimed at various different shape products on different substrates. It has the ability to cut various size playing cards, aluminum plastics, greeting cards, note books etc. This machine uses a hydraulic ram system and once suitable dies are made can cut any shape time after time. The die cut products surface is smooth, and the size is unified and regular with high efficiency. There is a photo cell guard to offer safety to the user. Punch out profit with this fast and efficient low cost machine!



TECHNICAL DATA

Max.cutting size	115x115mm
Min.cutting size	30x20mm
Max.moulding stow height	140mm
Cutting pressure	3T
Work speed	12 times/min
Electric pressure/power	380v/2.2kw
Dimension	1400x800x1600mm
Weight	700KG

PRICE: \$17,500.00 + GST

FOR FURTHER INFORMATION PLEASE CONTACT OUR HEAD OFFICE



www.bermudaprintingsupplies.com.au



www.graph-pak.com.au



Graphics Australia Pty Ltd

www.jtsgraphics.com.au

Address: **NSW:** Unit 4, 260 Captain Cook Drive, Kurnell NSW 2230, Australia
QLD: Unit 9, 227 Brisbane Road, Biggera Waters QLD 4216, Australia
Tel: 1300 461 599 **International:** +61 2 9668 8511 **Fax:** +61 2 9668 9213

Automatic Pre-Stretch Wrapping Machine

Model 1650F



The machine is a cost effective solution to wrapping finished goods on Pallets and avoids any un-necessary Health and Safety issues associated with hand wrapping. Wrapping the product can protect the printed sheets, cartons or cases from moisture, dust, rain or pollution etc. The machine has servo motors and, PLC controls. Magic eye sensors pick up the top and sides to ensure neat effective wrapping. The machine is reliable and simple to use.

At the beginning the operator only has to attach the stretch film to the pallet once it is loaded on the machine and push the start button. The machine will perform the entire wrap cycle automatically without the need for an operator to tie the film tail to the load at the beginning of the cycle and detach it at the end.

Control System

- PLC control
- Photo-eye auto height sensing pallet height
- Separate top, bottom and up-down wrap counter options
- Overwrap time is up to create an overwrap
- Reinforce wrap time is set to better secure 2 loads placed on top of each other
- Film tension control adjustment on the panel
- Separate start, pause and emergency stop buttons
- Manual carriage up/down
- Variable turntable speed
- Carriage up/down speed control
- Manual/ automatic exchangeable

Turntable

- 1650mm diameter structural steel plate
- 85mm height floor to top of turntable

FOR FURTHER INFORMATION PLEASE CONTACT OUR HEAD OFFICE



www.bermudaprintingsupplies.com.au



www.graph-pak.com.au



Graphics Australia Pty Ltd

www.jtsgraphics.com.au

Address: **NSW:** Unit 4, 260 Captain Cook Drive, Kurnell NSW 2230, Australia
QLD: Unit 9, 227 Brisbane Road, Biggera Waters QLD 4216, Australia
Tel: 1300 461 599 **International:** +61 2 9668 8511 **Fax:** +61 2 9668 9213

Turntable drive

- 0.12rpm variable turntable speed by frequency changer
- Position turntable alignment
- Works under speed 0.75kw motor with reduction gearbox, soft start film carriage
- Powered pre-stretch system up to 250% to min film consumption
- Carriage door opens for effortless roll change and thread film
- Film delivery variable speed by separate DC drive motor
- Electronic film tension control adjustment on panel
- Film dancer-bar with variable speed output

Film carriage drive

- Heavy duty double-chain carriage lift, calm and safety
- Film carriage variable speed by frequency changer
- Works under 0.23kw motor with reduction gearbox

Technical Parameter:

(L*W) Wrapping Size	(500~1200) mm × (500~1200) mm
Wrapping Height	L model 1800mm H model 2400mm
Working Capability	20~40CTNS/ HOUR 0-12rmp/second
Board Size	φ1650mm , H85mm
Loadable Weight	(max) 2000Kg
Film carriage system	Pre-stretch film carriage, auto convey the film,
up-down frame	Double chain, adjustable speed
Controller	PLC control, overwrap layers adjustable, Pre-stretch film carriage
Power/Voltage	1.5KW/AC220V
Material (thickness, width)	PE T17~35um ,W500mm
Weight	650Kg

PRICE: \$5,999.00 + GST

FOR FURTHER INFORMATION PLEASE CONTACT OUR HEAD OFFICE



www.bermudaprintingsupplies.com.au



www.graph-pak.com.au



Graphics Australia Pty Ltd

www.jtsgraphics.com.au

Address: NSW: Unit 4, 260 Captain Cook Drive, Kurnell NSW 2230, Australia
QLD: Unit 9, 227 Brisbane Road, Biggera Waters QLD 4216, Australia
Tel: 1300 461 599 International: +61 2 9668 8511 Fax: +61 2 9668 9213

Digital Hot Stamping Machine

The revolutionary Bermuda 330A digital hot stamping machine is a great addition to office and company. There is no need for the traditional hot stamping equipment and dies. Now, with Bermuda 330A digital hot stamping machine, you never need to make dies or wait for days – you are able to go from concept to gilded sheet or scroll within two minutes. The software driver will accept most Windows applications such as Office Word, Coreldraw and Artcut.

The Bermuda 330A is as small as an inkjet printer and just as easy to operate. It can print on leather, paper, PVC, sticker, plastic, fabric or ribbon.

The Bermuda 3050A is the latest digital hot stamping machine on the market. In fact, Bermuda 3050A, is designed to be a solution of cost-effectiveness for any size or office. It can gild on book cover, name/ID card, photo item, invitation card and gift.


Bermuda digital hot stamping machines are a great option for short run applications or for projects which need essential customization.



UV330



UV3050A



FOR FURTHER INFORMATION PLEASE CONTACT OUR HEAD OFFICE



www.bermudaprintingsupplies.com.au



www.graph-pak.com.au



Graphics Australia Pty Ltd

www.jtsgraphics.com.au

Address: **NSW:** Unit 4, 260 Captain Cook Drive, Kurnell NSW 2230, Australia
QLD: Unit 9, 227 Brisbane Road, Biggera Waters QLD 4216, Australia
Tel: 1300 461 599 **International:** +61 2 9668 8511 **Fax:** +61 2 9668 9213



Specifications:	Bermuda 3050A	Bermuda 330A
Printing Interface	Network interface/SD card/USB	
Max Printing Length	150mm	Infinite
Max Thickness Admits	30mm	3mm
Max Printing Width	57mm	256mm
Max Feeding Width	35cm x 53cm	330mm
Speed	26mm/s	80m/h
Resolution	300 x 600dpi	200dpi (B-240dpi)
Medium Type	Paper, leather, PVC, sticker, plastic, fabric, or flat, smooth, semi-smooth, & coated surfaces	
Power Source Specifications	100-240VAC; 50/60Hz	
Software Compatibility	Most Windows applications such as Artcut, Office Word, Coreldraw	
Machine Size	54cm x 58cm x 33cm	100cm x 45cm x 35cm
NW	19kgs	38kgs

PRICE: \$9,900.00 + GST (UV330)

PRICE: \$10,000.00 + GST (UV3050A)

FOR FURTHER INFORMATION PLEASE CONTACT OUR HEAD OFFICE



www.bermudaprintingsupplies.com.au



www.graph-pak.com.au



Graphics Australia Pty Ltd

www.jtsgraphics.com.au

Address: NSW: Unit 4, 260 Captain Cook Drive, Kurnell NSW 2230, Australia
QLD: Unit 9, 227 Brisbane Road, Biggera Waters QLD 4216, Australia
Tel: 1300 461 599 International: +61 2 9668 8511 Fax: +61 2 9668 9213

Paper Folding Machines

Model EP-42F



Features:

- Simple operation
- Fold up to A3 size
- Compact design
- Fast folding speed

Technical Specifications:

Min Paper Size:	91 x 128mm
Max Paper Size:	297 x 432mm
Sheet Weight Range:	53 to 157 gsm
Fold Patterns:	Single, double parallel, Zig Zag, Fold out, letter, Open Gate Fold
Production Speed:	7000 sheets / hour
Power:	220 – 240 V, 50/60 Hz
Motors:	30 w x 1
Machine Dimension:	800 (w) x 500 (d) x 500 (h) mm
Machine Weight:	30 kgs

PRICE: 1,500.00 + GST

FOR FURTHER INFORMATION PLEASE CONTACT OUR HEAD OFFICE



www.bermudaprintingsupplies.com.au



www.graph-pak.com.au



Graphics Australia Pty Ltd

www.jtsgraphics.com.au

Address: **NSW:** Unit 4, 260 Captain Cook Drive, Kurnell NSW 2230, Australia
QLD: Unit 9, 227 Brisbane Road, Biggera Waters QLD 4216, Australia
Tel: 1300 461 599 **International:** +61 2 9668 8511 **Fax:** +61 2 9668 9213

Model EP-45F



Features:

- Simple operation
- Fold up to A3 size
- Compact design
- Fast folding speed

Technical Specifications:

Min Paper Size:	91 x 128mm
Max Paper Size:	297 x 432mm
Sheet Weight Range:	53 to 157 gsm
Fold Patterns:	Single, Double Parallel, Zig Zag, Fold out, Letter, Open Gate Fold
Production Speed:	3000 – 10000 sheets / hour
Power:	110 – 120V / 220-240 V, 50/60 Hz
Motors:	75 w
Machine Dimensions:	870 x 530 x 520
Machine Weight:	35 kgs

PRICE: 3,500.00 + GST

FOR FURTHER INFORMATION PLEASE CONTACT OUR HEAD OFFICE



www.bermudaprintingsupplies.com.au



www.graph-pak.com.au



Graphics Australia Pty Ltd

www.jtsgraphics.com.au

Address: NSW: Unit 4, 260 Captain Cook Drive, Kurnell NSW 2230, Australia
QLD: Unit 9, 227 Brisbane Road, Biggera Waters QLD 4216, Australia
Tel: 1300 461 599 International: +61 2 9668 8511 Fax: +61 2 9668 9213

Model GAR01-2



This modular folding machine is capable of various folds. This unit operates a suction feeder

Technical Specifications:

Paper range :	60 g/m ² ~ 120 g/m ² ; A4, LG, LT
Min. sheet size:	100×125mm
Max. sheet size:	220×360mm
Paper pile :	120pcs (80g/m ²)
Folding Speed :	120sheet/min (80g/m ² A4 Single fold)
Buckle :	Manual adjustment (2 buckle)
Counting function :	Four increasing count, Three decreasing count
Dimension :	During using 772(W)×360(D)×422(H)
Weight :	15.5Kg
Folding method :	6 type of method for choosing.



PRICE: \$3,450.00 + GST

FOR FURTHER INFORMATION PLEASE CONTACT OUR HEAD OFFICE



www.bermudaprintingsupplies.com.au



www.graph-pak.com.au



Graphics Australia Pty Ltd

www.jtsgraphics.com.au

Address: **NSW:** Unit 4, 260 Captain Cook Drive, Kurnell NSW 2230, Australia
QLD: Unit 9, 227 Brisbane Road, Biggera Waters QLD 4216, Australia
Tel: 1300 461 599 **International:** +61 2 9668 8511 **Fax:** +61 2 9668 9213

High Speed Suction Air Folding Machine

Model ZY-380A



This modular folding machine is capable of various folds. This unit operates a suction feeder.

Technical Specifications:

Fence:	2
Max Folding size:	380mm x 450mm
Min Folding size:	90mm x 120mm
Folding Paper Weight range:	50-200 g/m ²
Folding speed:	0-22000 p/h
Power supply:	220v / 50Hz / 1050w
Dimension:	1350 x 580 x 1150mm
Weight:	130 kg
Main motor power:	0.95 KW



PRICE: \$10,800.00 + GST

FOR FURTHER INFORMATION PLEASE CONTACT OUR HEAD OFFICE



www.bermudaprintingsupplies.com.au



www.graph-pak.com.au



Graphics Australia Pty Ltd

www.jtsgraphics.com.au

Address: **NSW:** Unit 4, 260 Captain Cook Drive, Kurnell NSW 2230, Australia
QLD: Unit 9, 227 Brisbane Road, Biggera Waters QLD 4216, Australia
Tel: 1300 461 599 **International:** +61 2 9668 8511 **Fax:** +61 2 9668 9213

Manual Crease and Fold Machines

Model FM-355



PRICE: \$400.00 + GST

Model FM-460



PRICE: \$520.00 + GST

Model FMH-315



PRICE: \$650.00 + GST

FOR FURTHER INFORMATION PLEASE CONTACT OUR HEAD OFFICE



www.bermudaprintingsupplies.com.au



www.graph-pak.com.au




Graphics Australia Pty Ltd

www.jtsgraphics.com.au

Address: **NSW:** Unit 4, 260 Captain Cook Drive, Kurnell NSW 2230, Australia
QLD: Unit 9, 227 Brisbane Road, Biggera Waters QLD 4216, Australia
Tel: 1300 461 599 **International:** +61 2 9668 8511 **Fax:** +61 2 9668 9213

Auto Slitting Creasing Machine



- Automatic Friction Feeding
- Numerical Speed Control
- Numerical Control Side Guider
- Profession Numerical Creasing
- Precise Rolling Knives
- CE Standard Design.....



Model	A660B	A660T
Min paper size	160*130mm	
Max paper size	660*420mm	
Paper weight	120gsm-300gsm	
Max cutting size	660mm	
Min cutting size	0mm	10mm
Crease line adjustment	Manual adjust	Digital control
Speed	120sheets(A4)/ Min	
Feeding way	Automatic feeding	
Safety cover	Available	
Power	AC220V 50Hz/60Hz 100W	
Machine Dimension	1090*785*1050mm	
Machine N.W	108Kg	

	Optional quantity of rolling knives, zero-gap perforating, slitting and creasing (M660B)		High precise slitting knives ensure your working efficiency
	Automatic feeding paper of different thickness (120~300gsm)		Convenient machine drawer for placing needed material
	Optional regrouping of rolling knives at your will		Definitely no-swing of rolling knives, ensure precise perforating slitting and creasing
	Adjustable feeding pressure meet demand for feeding different thickness paper		Convenient flip safety cover for the knives
	Numerical control working speed		Numerical control of the side guider for paper easy positioning
	Perforating, slitting and creasing depth adjustment		Professional numerical control creasing (M660T)

PRICE: \$7,500.00 + GST (A660B)

PRICE: \$7,800.00 + GST (A660T)

FOR FURTHER INFORMATION PLEASE CONTACT OUR HEAD OFFICE



www.bermudaprintingsupplies.com.au



www.graph-pak.com.au



Graphics Australia Pty Ltd

www.jtsgraphics.com.au

Address: **NSW:** Unit 4, 260 Captain Cook Drive, Kurnell NSW 2230, Australia
QLD: Unit 9, 227 Brisbane Road, Biggera Waters QLD 4216, Australia
Tel: 1300 461 599 **International:** +61 2 9668 8511 **Fax:** +61 2 9668 9213

Laminating Machines

Model RL480



Function:

- With single or double side lamination function.
- Adopting durable chrome plated steel roller, which can be quickly and equably heated up.
- Adopting IC temperature control system, which can control temperature exactly, set temperature through numeral display and make temperature adjusting easy.
- The pressure of steel roller and lamination speed can adjusted freely. The operation of the machine is simple and easy.

Technical Specifications:

Model	RL480
Max. lamination width	450mm
Lamination speed	1-5m/min
Lamination temperature	70-110°C
Power(single side/double side)	AC220V;1200W/2000W
Weight	56kg
Size(mm)	690×600×500mm

PRICE: \$1,740.00 + GST

FOR FURTHER INFORMATION PLEASE CONTACT OUR HEAD OFFICE



www.bermudaprintingsupplies.com.au



www.graph-pak.com.au



Graphics Australia Pty Ltd

www.jtsgraphics.com.au

Address: **NSW:** Unit 4, 260 Captain Cook Drive, Kurnell NSW 2230, Australia
QLD: Unit 9, 227 Brisbane Road, Biggera Waters QLD 4216, Australia
Tel: 1300 461 599 **International:** +61 2 9668 8511 **Fax:** +61 2 9668 9213

Model RL360



Function:

- With single or double side lamination function.
- Adopting durable chrome plated steel roller, which can be quickly and equably heated up.
- Adopting IC temperature control system, which can control temperature exactly, set temperature through numeral display and make temperature adjusting easy.
- The pressure of steel roller and lamination speed can adjusted freely. The operation of the machine is simple and easy.

Technical specifications:

Model	RL360
Max. lamination width	350mm
Lamination speed	1-5m/min
Lamination temperature	70-110°C
Power(single side/double side)	AC220V;1000W/1650W
Weight	47kg
Size(mm)	590×600×500mm

PRICE: \$1,470.00 + GST

FOR FURTHER INFORMATION PLEASE CONTACT OUR HEAD OFFICE



www.bermudaprintingsupplies.com.au



www.graph-pak.com.au



Graphics Australia Pty Ltd

www.jtsgraphics.com.au

Address: NSW: Unit 4, 260 Captain Cook Drive, Kurnell NSW 2230, Australia
QLD: Unit 9, 227 Brisbane Road, Biggera Waters QLD 4216, Australia
Tel: 1300 461 599 International: +61 2 9668 8511 Fax: +61 2 9668 9213



Equipment List and Pricing Guide

Guillotine Model 450T Model EP-550C	\$6,500.00 \$8,000.00
UV Coating Machine Model UV350	\$6,500.00
UV Coating Machine Model UV530	\$8,500.00
Spare Parts and Consumables: Replacement Globe UV350 Replacement IR Globe Replacement Globe UV530 Trolley	\$250.00 \$50.00 \$350.00 \$450.00
Perfect Binding Machine Model 320BPS Model PS-7000	\$8,000.00 \$9,000.00
High Speed Punch Model 115 Included: 1 Tooling Die 80 X 80mm Round Corner with radius of 4mm angle <i>On confirmation we would require a drawing of what you need to cut so that the die is correct.</i>	\$17,500.00
Options: Additional Tooling dies	\$550.00 ea
Automatic Pre-Stretch Wrapping Machine 1650F	\$5,999.00
Foiling Machines Model 330 Model 3050A	\$9,900.00 \$10,000.00
Manual Crease & Fold Machines Model FM-355 Model FM-460 Model FMH-315	\$400.00 \$520.00 \$650.00
Folding Machines Model EP-42F Model EP-45F Model GAR01-2 High Speed Suction Air Folding Machine Model ZY-380A	\$1,500.00 \$3,500.00 \$3,450.00 \$10,800.00
Auto Slitting Creasing Machine Model A660B Model A660T	\$7,500.00 \$7,800.00
Laminating Machines Model RL480 Model RL360	\$1740.00 \$1470.00

FOR FURTHER INFORMATION PLEASE CONTACT OUR HEAD OFFICE



www.bermudaprintingsupplies.com.au



www.graph-pak.com.au



Graphics Australia Pty Ltd

www.jtsgraphics.com.au

Address: NSW: Unit 4, 260 Captain Cook Drive, Kurnell NSW 2230, Australia
QLD: Unit 9, 227 Brisbane Road, Biggera Waters QLD 4216, Australia
Tel: 1300 461 599 International: +61 2 9668 8511 Fax: +61 2 9668 9213

Terms and Conditions of Sale

Terms of Payment:

60% deposit payable on purchase order
40% balance due within 7 days of delivery to site.

Alternatively we can accept Bank Guarantee and LC to be approved case by case.

Bank Name : National Australia Bank
Account Name : Bermuda Printing Supplies
Account No. : 195002355
BSB No. : 082 184

If the Customer defaults in payment by the due date of any amount payable to the supplier, then all money which would become payable by the Customer to the Supplier at a later date on any account, becomes immediately due and payable without the requirement of any notice to the Customer and the Supplier, may without prejudice to any other remedy available to it;

- a) charge the Customer interest on any sum due at the prevailing rate pursuant to the *Penalty Interest Rates Act 1983* plus 2 per cent for the period from the due date until the date of payment in full;
- b) charge the Customer for all expenses and costs (including legal costs on a solicitor/own client basis);
- c) cease or suspend for such period as the Supplier thinks fit;
- d) by notice in writing to the Customer, terminate any contract.

Reservation of Title:

Until full payment in cleared funds is received by the Supplier for all goods supplied, title and property of all goods remain vested in the Supplier and do not pass to the Customer.

Exchange Rate:

Prices are based on current exchange rates and any variation at time of settlement will be to buyers account.

Customs Duty:

Prices are based on duty free entry and any variation will be to the buyers account.

Delivery:

Prices quoted are delivered. Installation is to the buyers account as required.

Validity:

30 Days from date of quotation.

Disclaimer:


Machine manufacturers can change configuration, components and specs without notice. Bermuda Printing Supplies will do its best to keep you informed but can't take responsibility for changes

Warranty:

Mechanical and Electrical components are covered for a period of 12 months by the manufacturer. Charges for repair and freight will be to the buyers account. Wear and tear on parts, tapes and belts not included.

Should you require any further information regarding this equipment or offer, please do not hesitate to contact me.

Best Regards,



Tom Ralph
Managing Director

FOR FURTHER INFORMATION PLEASE CONTACT OUR HEAD OFFICE



www.bermudaprintingsupplies.com.au



www.graph-pak.com.au



Graphics Australia Pty Ltd

www.jtsgraphics.com.au

Address: **NSW:** Unit 4, 260 Captain Cook Drive, Kurnell NSW 2230, Australia
QLD: Unit 9, 227 Brisbane Road, Biggera Waters QLD 4216, Australia
Tel: 1300 461 599 **International:** +61 2 9668 8511 **Fax:** +61 2 9668 9213